

PRO161XDZ - TECHNICAL SPECIFICATIONS SHEET

References

Equipment type	Wine cellar	GENCOD reference	3595320104639
End-product stage	Marketed	Factory reference	YC-510B
Brand	Climadiff	Last update	05/05/2017 02:47

Presentation

Use	Conservation or service wine cabinet	Number of compartments	2
Installation	Free standing and built-under installation	Adjustable temp. range of use	5-10°C/10-18°C
Ambient temp. range of use	0-32°C		

Dimensions

Gross width (cm)	66.00	Net width (cm)	59.80
Gross depth (cm)	75.00	Net depth (cm)	68.00
Gross height (cm)	196.50	Net height (cm)	182,00
Gross weight (kg)	165.00	Net weight (kg)	148.00
Gross volume (l)	0	Net volume (l)	440

Capacity

Number of bottles	161	Other type of shelves (1)	Wood half shelves
Capacity / nb of shelf		Number of shelves (1)	1
Number of cans	0	Type (1)	Sliding
Shelves modularity	Yes	Front (1)	Metal
Main type of shelves	Wood shelves	Other type of shelves (2)	No
Number of shelves	13	Number of shelves (2)	
Type	Sliding	Type (2)	
Front	Metal	Front (2)	
		Type of optional shelves	

Doors

Number of doors	1	Frame color	Steel
Reversible door	No	Lock	Yes
Door type	Glass	Door rack	No
Anti-UV treated glass	Yes	Door opening	Right
Glass type	2-layers	Model of handle	Inox
Tempered glass	Yes	Position of handle	Verticale gauche
Glass color	Tinted	Handle entraxe (cm)	61.00

Construction

Body type	Sheet metal	Charcoal filter	Yes
Body color	Black	Light	Yes
Interior color	Black	Light ON/OFF switch button	Yes
Type of side walls	PVC	Number of LED lights	7
Bottom wall type	PVC	Light color	Blue
Insulation type	Polyurethane foam	Lighting power (W)	4.00
Foaming agent	Cyclopentane	Automatic defrost	Yes
Number of adjustable feet	4	Anti-vibration system	Yes
Height of feet (cm)	3.0	Removable ventilation grid	Yes
Number of wheels	0	Demo mode	No
Plumbing passage	No	Comment	-

PRO161XDZ

Regulation

Regulation system	Electronic	Thermometer	Yes
Type of equipment	Compressor	Thermometer type	Electronic
Cold type	Air moving system	Display color	Blue
Winter system	Yes	Position of display	Exterior
Hygrometry regulation	No	Control panel	
Power resistor (W)	110	Heat production	None
Hygrometer	No	Heating power (W)	
Hygrometer type		Access to settings	Exterior

Electrical data

Power input (W)	140	Voltage (V)	220-240
Power switch	Yes	Frequency (Hz)	50
Plug	France: E	Electrical intensity (A)	0.85

Environmental data

Climate class	N/SN	Gas charge (g)	
Energy Class	E	Serial number R600	
Noise level (dB)	42	Charge in R600 (g)	50
Daily electrical cons. (kW)	1.050	Eco-contribution	Yes
Annual electrical cons. (kW)	383	Eco-contribution status	INT
Product category	2	Eco-contribution code	01.2A
EEl		Eco-contribution type	M
Type of gas	R600A	Eco-contribution belonging	Wine cabinet

Logistics

20' units (nb)	24	Units by full truck	0
40' units (nb)	54	Pallet dimensions (cm)	63 x 59,8 x 14,5
40' HC units (nb)	54	Customs code	84185090

Other information

Argument title
Commercial argument

Climadiff exclusivity!

This appliance enables you to bring your bottles at room temperatures or bring them to service temperature (depending on the bottles). Take full advantage of the space offered by this wine cellar to cool also your champagne bottles.

PRO161XDZ

Photos of the model

